


AMENDMENTS TO THE CLAIMS

- 1-8. (Cancelled)
9. (Presently amended) A method of treatment of for the curative, palliative and prophylactic treatment of rumen acidosis, and related conditions, which comprises administration of an effective amount of an effective inhibitor of a bacterial α -amylase and/or α -glucosidase to a ruminant.
10. (Original) A method according to claim 9 for the treatment of chronic acidosis.
11. (Original) A method according to claim 9 for the treatment of acute acidosis.
12. (Presently amended) A method according to any one of claims 9, 10, 11, 20, 21, 26 or 30 ~~or 44~~ where the inhibitor of bacterial α -amylase and/or α -glucosidase has an IC_{50} of $10^{-3}M$ or less.
13. (Cancelled) A method according to any one of claims 1, 10, 11 or 12 wherein the inhibitor is selected from one of the inhibitors mentioned here in relation to preferred inhibitors.
14. (Cancelled) A method according to claim 13 wherein the inhibitor is selected from acarbose and the higher homologues thereof, Trestatin A, Trestatin C, the compound of Fraction 21 of Example 7 herein, Example 8 herein, and the fermentation broth products mentioned herein.
15. (Presently amended) A method according to claim 44 30, wherein the inhibitor is selected from acarbose and the higher homologues thereof, Trestatin A, Trestatin B, Trestatin C, the compound of Fraction 21, ~~of Example 7 herein~~ and the compound of Example 8 herein.
16. (Presently amended) A method according to claim 15 wherein the inhibitor is selected from acarbose and ~~Trestatin C~~.
- 17-19. (Cancelled).
20. (Presently amended) A method process for improving ruminant milk quality and/or quantity which comprises treatment of a ruminant with an effective amount of an inhibitor of bacterial α -amylase and/or α -glucosidase.
21. (Presently amended) A method process according to Claim 20 wherein the inhibitor is as defined in ~~any one of Claims~~ 30 4, 5, 6, 7 or 8.
- 22-25. (Cancelled).
26. (New) The method according to Claim 21 wherein the inhibitor is acarbose.
27. (New) The method according to Claims 21 and 26 wherein the milk quality improves by an increase in fat content of the milk.


28. (New) The method according to Claims 9, 15 and 16, wherein the related condition is laminitis, chronic laminitis, intermittent diarrhea, poor appetite and cyclic feed intake, a high herd cull rate for poorly defined health problems, poor body condition, abscesses without obvious causes, sole ulceration, white line lesions, sole hemorrhages, misshapen hooves, lameness, liver abscesses, depressed immune function, respiratory diseases, reduced fertility rates, ruminal stasis or impaired nutrient absorption.

29. (New) The method according to Claims 9, 15 and 16, wherein the related condition is reduced weight gain in cattle, reduced feed conversion efficiency in cattle or decreased milk yield and reduced milk quality in cattle.

30. (New) The method according to Claim 9 wherein the inhibitor is selected from:




a compound having the formula of,



X is OH, M is 0-1 and N is 0-6;

a compound having the formula of,



M is 0-8, and the sum of M + N is 0-7;

X is OR, SH, SR, NH₂, NHR, or NRR¹; wherein


R is alkyl, alkenyl, cycloalkyl, aralkyl, aryl or heterocyclyl, where the alkyl moiety, R, is optionally substituted with 1 to 5, substituents selected from hydroxyl, or alkoxy, methoxy, ethoxy, amino, monoalkylamino, dialkylamino, monomethylamino, monoethylamino, dimethylamino, diethylamino; mercapto, alkylthio, methylthio, ethylthio, halogen, alkylcarbonyl, carboxyl, nitro, cyano, an aldehyde group or a sulphonic acid group; where the alkenyl moiety, R, is straight-chain or branched alkenyl with 2 to 6 carbon atoms, optionally substituted with substituents selected from hydroxyl, alkoxy, mercapto, alkylthio, halogen or nitro; where cycloalkyl, may be optionally substituted with substituents selected from hydroxyl, or alkoxy, methoxy, ethoxy, amino, monoalkylamino, dialkylamino,

monomethylamino, monoethylamino, dimethylamino, diethylamino; mercapto, alkylthio, methylthio, ethylthio, halogen, alkylcarbonyl, carboxyl, nitro, cyano, an aldehyde group or a sulphonic acid group; where the aryl moiety, R, is a monocyclic or bicyclic aromatic radical with 6 to 10 carbon atoms in the aryl part, optionally substituted with 1 to 3 substituents selected from alkyl, alkenyl, hydroxyl, alkoxy, amino, monoalkylamino, dialkylamino, mercapto, alkylthio, carboxyl, carbalkoxy, a sulphonic acid group, alkylsulphonyl, arylsulphonyl, phenylsulphonyl, aminosulphonyl, alkylaminosulphonyl, dialkylaminosulphonyl, methylaminosulphonyl, dimethylaminosulphonyl, nitro, cyano, an aldehyde group, alkylcarbonylamino, alkylcarbonyl, benzoyl, benzylcarbonyl, phenethylcarbonyl; where the aralkyl moiety, R, has 6 to 10, carbon atoms in the aryl part, such as phenyl, biphenyl or naphthyl, and 1 to 4 carbon atoms in the alkyl part, such as benzyl or phenylethyl; wherein the heterocyclyl moiety, R, is selected from a hetero-paraffinic, heteroaromatic or hetero-olefinic 5-membered or 6-membered ring, with 1 to 3 hetero-atoms selected from oxygen, sulphur or nitrogen, the ring being optionally substituted with hydroxyl, amino, C₁-C₄-alkyl groups, benzene nuclei or a 6-membered, fuseable heterocyclic rings, selected from furan, pyran, pyrrolidine, piperidine, pyrazole, imidazole, pyrimidine, pyridazine, pyrazine, triazine, pyrrole, pyridine, benzimidazole, quinoline, isoquinoline or purine;


wherein R¹ of NRR¹, is alkyl, cycloalkyl, aralkyl, or aryl, where the alkyl moiety, R¹, is a straight-chain or branched alkyl radical having 1-6 carbon atoms; wherein the cycloalkyl, aralkyl or aryl radical moieties are selected from cyclopentyl, cyclohexyl, benzyl or phenyl radical, wherein the R¹ moieties are optionally substituted by alkoxy with 1 to 4 carbon atoms, amino, C₁-C₄ monoalkylamino, C₁-C₄-dialkylamino, nitro, cyano, hydroxyl, mercapto, C₁-C₄-thioalkyl, carboxyl or sulphonic acid group;

wherein R and R¹ and the nitrogen atom to which they are bonded, may optionally form a saturated or unsaturated heterocyclic ring, the ring optionally containing, 1 to 3 heteroatoms selected from oxygen, sulphur or nitrogen; hetero groups selected from SO₂ group or a N-alkyl group, the N-alkyl moiety selected from methyl, ethyl, n-propyl, i-propyl, n-butyl, l-butyl or t-butyl; wherein the heterocyclic ring moiety contains 5-7 ring members;


a compound of Fraction 21 (6942/99/1) with the structure,




a compound, Example 8 compound with the structure,




a compound, V-1532, having the structure,



a compound with the formula,



wherein,




wherein n is 0-4, with the proviso that when R is D, n is 1-3;

a natural product amylase inhibitor, SA-1;


an amylase inhibitor produced by a *Streptomyces* strain DMC-72;

a valioline derivatives with the structure,




wherein A is an acyclic hydrocarbon group selected from (a) 1 to 10 carbon atoms, optionally substituted with substituents selected from hydroxy, phenoxy, thienyl, furyl, pyridyl, cyclohexyl, (b) a substituted or unsubstituted phenyl, or (c) a five- to six-membered cyclic hydrocarbon group, optionally substituted with hydroxy, hydroxymethyl, methyl, amino, or a saccharide residue;

valiolamine and validamine derivatives with the structure,




wherein, A is a hydrocarbon group selected from (a) 1 to 10 carbon atoms, optionally substituted with hydroxy, phenoxy, thienyl, furyl, pyridyl, cyclohexyl, (b) a phenyl group optionally substituted; or (c) a cyclic hydrocarbon having 3-7 carbon atoms, optionally substituted with hydroxyl, and wherein B is hydrogen or hydroxyl;


sulphated trestatins,




wherein n is 1-3, R is hydrogen or a residue -SO₃M, and M is a cation, wherein a degree of sulphation is at least 1;

pseudooligosaccharides produced by a *Streptomyces* sp., FH-1717 (DSM-3006),




OCC1C(O)C(O)C(O)C(O)N1

nojirimycin




1-deoxynojirimycin.


2a beta-acarbose




isoacarbose,




acarviosine-glucose,




adiposin-2,




RN 257941-10-9




RN-257936-25-7




RN-250161-57-0




RN-244195-46-8



RN-227087-68-5




RN-223611-34-5




compound 4


RN-223608-57-9




RN-223608-52-4



RN-221371-17-1



RN-211247-54-0, 211247-56-2, 211247-57-3, 211247-58-4




LO = 211247-54-0

L14 = 211247-56-2


L36 = 211247-57-3

L73 = 211247-58-4;


RN-211239-26-8




RN-211237-50-2




RN-207681-89-8




RN-196944-81-7




RN-194539-38-3




RN-194539-37-2




RN-194539-27-0




RN-194539-17-8




RN-194539-15-6




RN-194539-13-4




RN-194539-11-2




RN-190784-97-5




RN-190451-31-1




RN-190385-50-3



RN-190385-49-0




RN-186420-21-3




HCl


RN-186420-19-9




RN 179382-46-8




RN-178034-25-8




RN-177898-45-2




RN-177898-44-1




RN-177898-43-0




RN-177898-42-9




RN-177898-41-8




RN-176587-86-3




RN-176389-24-5




RN-176389-23-4




RN-172787-72-3




RN-172291-40-6




RN-170932-13-5




RN-162428-10-6




RN-162428-09-3




RN-162428-08-2




RN-162428-07-1




RN-162428-03-7




RN-157750-07-7




RN-157639-66-2




RN 157639-64-0




RN-156969-91-4




RN-155974-62-2




RN-155874-49-0




RN-155874-47-8




RN-155874-48-9




RN-155874-46-7




RN-155874-45-6




RN-155874-44-5




RN-155874-43-4




RN 152042-99-4




RN-148291-19-4




RN-142504-69-6




RN-142504-68-5




RN-142504-67-4




RN-142504-66-3




RN-142504-65-2




RN-142504-64-1




RN-142504-63-0




RN-142200-26-8




RN 141902-24-1




RN-141316-52-1




RN-141316-51-0




RN-141316-50-9




RN-140148-00-1




RN-139628-10-7




RN-139628-09-4




RN-139261-95-3




RN-139261-94-2




RN-134308-81-9




RN 134221-44-6




RN-134221-43-5




RN-132016-21-8




RN-132016-20-7




RN-131922-36-6




RN-131922-32-2



RN-130812-69-0




RN-130069-26-0




H₂SO₄ salt


RN-129446-91-9




RN-129446-90-8




RN 128826-89-1




RN-128572-99-6




RN-124857-60-9




RN-124534-96-9




RN-123941-04-8




RN-112067-63-7




RN-112014-09-2




RN-109718-71-0




RN-109718-70-9




RN-106864-10-2




RN-106864-09-9




RN-106861-26-1




RN-106818-23-9




RN-106565-44-0




RN-106357-02-2




RN-106357-01-1




RN-106054-18-6




RN-106054-17-5





RN-105580-86-7




RN-102583-47-1 (DR-114779-27-0)




RN-102069-54-5




RN-102069-53-4




RN-102069-51-2




RN-101401-49-4




RN-101144-24-5




RN-101144-22-3




RN-99746-06-2




RN-89920-25-2




RN-89920-24-1




RN-89859-74-5




RN-89859-73-4



RN-89859-72-3




RN-89498-90-8, RN-89498-89-5, RN-89498-88-4




RN-89498-90-8 = compound I
RN-89498-89-5 = compound II
RN-89498-88-4 = compound III


RN-87037-90-9




RN-87037-36-3




RN-86900-52-9




RN-85440-55-7




RN-85440-54-6




RN-85440-53-5




RN-85440-51-3




RN-85382-71-4




RN-85382-70-3




RN-85382-69-0




RN-85240-37-5




RN-85240-25-1




RN-84622-05-9




RN-84622-04-8




RN-84367-25-9




RN-84293-54-9




RN-84270-04-2




RN-84270-03-1




RN-84270-02-0




RN-84270-01-9




RN-84270-00-8




RN-83764-12-9



RN-83764-11-8




RN-83470-76-2




RN-83116-11-4

PAGE 1-A




PAGE


RN-83116-10-3




RN-83116-09-0




RN-83116-08-9




RN-82950-48-9




RN-82950-47-8




RN-82950-46-7



RN-82950-45-6




RN-82950-44-5




HCl

RN-82920-58-9




HCl


RN-82920-57-8




RN-82920-56-7




RN-82920-55-6




RN-82920-54-5




RN-82920-53-4




RN-82920-52-3




RN-82920-51-2




RN-82920-50-1



RN-82920-49-8




RN-82920-48-7




HCl


RN-82920-47-6




RN-82920-46-5




RN-82920-45-4




RN-82920-44-3




RN-82920-43-2




RN-82920-42-1




RN-82920-41-0




RN-82920-40-9




RN-82920-39-6




RN-82920-38-5




RN-82920-37-4




RN-82920-36-3




RN-82920-35-2




RN-82920-34-1




RN-82920-33-0




RN-82920-32-9




RN-82920-31-8




RN-82920-30-7




RN-82920-29-4




RN-82920-28-3




RN-82920-27-2




RN-82920-26-1




RN-82920-25-0




RN-82920-24-9




RN-82920-23-8




RN-82920-22-7




RN-82920-21-6




RN-82920-20-5




RN-82920-19-2




RN-82920-18-1




RN-82920-17-0




RN-82920-16-9




RN-82920-15-8







RN-82920-10-3




RN-82920-09-0




RN-82920-08-9




RN-82920-07-8




RN-82920-06-7




RN-82920-05-6




RN-82796-38-1




RN-82309-82-8




RN-82309-79-3




RN-82309-75-9




RN-81739-22-2




RN-81692-17-3




RN-80943-41-5




RN-80531-33-5




RN-80531-32-4




RN-80531-31-3




RN-80531-30-2




RN-80531-29-9




RN-80531-28-8




RN-80531-27-7




RN-80531-26-6




RN-79549-83-0




RN-79549-82-9




RN-78216-48-5




RN-78180-90-2




RN-77714-42-2




RN-77481-83-5




RN-77468-93-0




RN-77453-33-9




RN-77453-32-8




RN-77453-31-7




RN-77453-30-6




RN-77369-20-1




RN-77181-46-5



RN-77161-98-9




RN-73495-52-0




HCl

RN-73495-51-9




RN-73469-82-6




HCl


RN-73469-81-5




RN-73395-43-4




RN-71884-70-3



RN-71869-92-6




RN-71828-10-9




HCl salt

RN-71828-09-6




HCl salt


RN-71605-25-9




RN-71605-24-8




RN-71605-23-7




RN-71605-22-6



RN-69351-49-1




RN-68665-60-1




RN-68422-39-9

Component Number 1




Component Number 2




RN-68422-38-8

Component Number 1




Component Number 2




RN-68422-37-7


Component Number 1




Component Number 2




RN-68135-87-5




RN-68128-53-0




RN-68125-19-9




RN-68111-96-6




RN-68111-95-5




RN-68107-64-2




RN-68107-62-0




RN-68107-60-8




RN-68107-58-4




RN-68107-56-2




RN-68107-54-0




RN-68107-52-8




RN-68107-50-6




RN-68107-48-2




RN-68107-46-0




RN-68107-44-8




RN-68107-42-6




RN-68107-41-5




RN-68107-39-1




RN-68107-37-9




RN-68107-33-5




RN-68107-32-4




RN-68107-30-2




RN-68107-28-8




RN-68107-27-7




RN-68095-99-8




RN-68095-98-7




RN-68095-97-6




RN-68095-95-4




RN-68095-91-0




RN-68095-89-6




RN-68095-88-5




RN-68095-87-4




RN-68095-86-3




RN-68095-84-1




RN-68095-83-0




RN-68095-81-8




RN-68095-80-7




RN-68095-78-3




RN-68095-77-2




RN-68095-76-1




RN-68095-74-9




RN-57511-55-4




RN-56180-94-0




RN-56180-93-9




RN-39318-73-5



RN-38665-10-0




RN-38231-88-8




HCl


RN-38231-86-6




RN-37248-47-8




RN-12650-71-4




RN-12650-67-8




RN-180962-56-5




RN-180962-55-4




RN-180962-54-3




OCC1OC(O)C(O)C(O)C1N[C@@H]2[C@@H](O)[C@H](O)[C@@H](CO)O[C@H]2O[C@@H]3[C@H](O)[C@@H](CO)O[C@H](O[C@@H]4[C@H](O)[C@@H](CO)O[C@H](O[C@@H]5[C@H](O)[C@@H](CO)O[C@H](O[C@@H]6[C@H](O)[C@@H](CO)O[C@H]6O)O[C@H]5O)O[C@H]4O)O[C@H]3OOCC1OC(O)C(O)C(O)C1OC2C(O)C(O)C(O)C2N[C@@H]3C(O)C(O)C(O)C3OC4C(O)C(O)C(O)C4OC5C(O)C(O)C(O)C5OC6C(O)C(O)C(O)C6OO=C[C@@H](O)[C@H](O)CO[C@@H]1O[C@H](OC[C@H]2O[C@H](CO)[C@H](O)[C@H]2O)[C@H](O)[C@H](O)[C@H]1O[illegible]


RN-121657-68-9




RN-117193-65-4




RN-128554-58-5




RN-128536-90-3




RN-128536-89-0




RN-128536-88-9




RN-128536-87-8




RN-128536-86-7




RN-102583-47-1




RN-81739-22-2




RN-81692-24-2




RN-80955-61-9




PAGE 1-B




RN-80955-60-8




PAGE 1-B



RN-78025-06-6




RN-39318-73-5



; or

RN-33034-94-5



31. (New) The method according to Claims 9, 15, 20, 21, 26 and 30, wherein the α -amylase and/or α -glucosidase inhibitor is administered in combination with one or more agents useful in the treatment of rumen acidosis and related conditions.

32. (New) The method according to Claim 31, wherein the agent is selected from buffers, antibiotics, antiparasitics, antihistamines, antifungals, antibacterials, antiinflammatories, dietary supplements and emollients.

33. (New) The method according to Claim 32, wherein the related condition is laminitis, chronic laminitis, intermittent diarrhea, poor appetite and cyclic feed intake, a high herd cull rate for poorly defined health problems, poor body condition, abscesses without obvious causes, sole ulceration, white line lesions, sole hemorrhages, misshapen hooves, lameness, liver abscesses, depressed immune function, respiratory diseases, reduced fertility rates, ruminal stasis or impaired nutrient absorption.

34. (New) The method according to Claim 32 wherein the related condition is reduced weight gain in cattle, reduced feed conversion efficiency in cattle or decreased milk yield and reduced milk quality in cattle.

Patent Application
Attorney Docket No.10922C

Date: Feb 6, 2000
Pfizer Inc.
Patent Department, MS 8260-1611
Eastern Point Road
Groton, CT 06340
(860) 715-4288

Sincerely,

Martha G. Munchhof
Martha G. Munchhof
Attorney for Applicants
Reg. No. 47,811